

Tlr6 Cas9-KO Strategy

Designer:

Huan Fan

Design Date:

2019-7-25

Project Overview



Project Name

Tlr6

Project type

Cas9-KO

Strain background

C57BL/6JGpt

Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Tlr6* gene. The schematic diagram is as follows:



- The *Tlr6* gene has 2 transcripts. According to the structure of *Tlr6* gene, exon2 of *Tlr6-201* (ENSMUST00000062315.5) transcript is recommended as the knockout region. The region contains all of the coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Tlr6* gene. The brief process is as follows: CRISPR/Cas9 system w

- According to the existing MGI data, Inactivation of this gene results in abnormal macrophage function.
- The *Tlr6* gene is located on the Chr5. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)

Tlr6 toll-like receptor 6 [Mus musculus (house mouse)]

Gene ID: 21899, updated on 12-Mar-2019

Summary


Official Symbol	Tlr6 provided by MGI
Official Full Name	toll-like receptor 6 provided by MGI
Primary source	MGI:MGI:1341296
See related	Ensembl:ENSMUSG000000051498
Gene type	protein coding
RefSeq status	VALIDATED
Organism	Mus musculus
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
Expression	Broad expression in spleen adult (RPKM 3.6), colon adult (RPKM 1.8) and 17 other tissues See more
Orthologs	human all

Transcript information (Ensembl)


The gene has 2 transcripts, all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Tlr6-201	ENSMUST00000062315.5	3677	806aa	Protein coding	CCDS19303	Q3UV88	TSL:1 GENCODE basic APPRIS P1
Tlr6-202	ENSMUST00000201307.1	446	113aa	Protein coding	-	A0A0J9YTV4	CDS 3' incomplete TSL:1


The strategy is based on the design of *Tlr6-201* transcript, The transcription is shown below




Genomic location distribution



Protein domain



Mouse phenotype description(MGI)



Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).

According to the existing MGI data, Inactivation of this gene results in abnormal macrophage function.

If you have any questions, you are welcome to inquire.

Tel: 400-9660890

