

Gp1ba Cas9-CKO Strategy

Designer:

Daohua Xu

Reviewer:

Huimin Su

Design Date:

2019-11-1

Project Overview



Project Name

Gp1ba

Project type

Cas9-CKO


Strain background

C57BL/6JGpt

Conditional Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Gp1ba* gene. The schematic diagram is as follows:

Donor and CRISPR/Cas9 System



Wild-type allele



Conditional KO allele



KO allele



- The *Gp1ba* gene has 2 transcripts. According to the structure of *Gp1ba* gene, exon1-exon2 of *Gp1ba-201* (ENSMUST00000055184.6) transcript is recommended as the knockout region. The region contains all of the coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Gp1ba* gene. The brief process is as follows: CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

- According to the existing MGI data, Homozygotes for a targeted null mutation exhibit prolonged bleeding times and reduced numbers of enlarged platelets. Heterozygotes have intermediate numbers of platelets.
- The *Gp1ba* gene is located on the Chr11. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)

Gp1ba glycoprotein 1b, alpha polypeptide [Mus musculus (house mouse)]

Gene ID: 14723, updated on 5-Feb-2019

Summary



Official Symbol	Gp1ba provided by MGI
Official Full Name	glycoprotein 1b, alpha polypeptide provided by MGI
Primary source	MGI:MGI:1333744
See related	Ensembl:ENSMUSG00000050675
Gene type	protein coding
RefSeq status	VALIDATED
Organism	Mus musculus
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
Also known as	GP-1b alpha, GPIba, GPIbalpha
Expression	Broad expression in spleen adult (RPKM 3.9), liver E14.5 (RPKM 3.1) and 22 other tissues See more
Orthologs	human all

Transcript information (Ensembl)


The gene has 2 transcripts, all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Gp1ba-201	ENSMUST00000055184.6	2710	734aa	Protein coding	CCDS24957	A2CFB8 O35930	TSL:5 GENCODE basic APPRIS P1
Gp1ba-202	ENSMUST00000108551.2	2480	734aa	Protein coding	CCDS24957	A2CFB8 O35930	TSL:1 GENCODE basic APPRIS P1


The strategy is based on the design of *Gp1ba-201* transcript, The transcription is shown below




Genomic location distribution



Protein domain



Mouse phenotype description(MGI)



Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).

According to the existing MGI data, Homozygotes for a targeted null mutation exhibit prolonged bleeding times and reduced numbers of enlarged platelets. Heterozygotes have intermediate numbers of platelets.

If you have any questions, you are welcome to inquire.

Tel: 400-9660890

