

# *Ces1f* Cas9-KO Strategy

**Designer:**

**Daohua Xu**

**Reviewer:**

**Huimin Su**

**Design Date:**

**2019-12-5**

# Project Overview



**Project Name**

*Ces1f*

**Project type**


**Cas9-KO**

**Strain background**

**C57BL/6JGpt**

# Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Ces1f* gene. The schematic diagram is as follows:



- The *Ces1f* gene has 6 transcripts. According to the structure of *Ces1f* gene, exon2-exon9 of *Ces1f-201* (ENSMUST00000034178.8) transcript is recommended as the knockout region. The region contains 1028bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Ces1f* gene. The brief process is as follows: CRISPR/Cas9 system

# Notice

- The *Ceslf* gene is located on the Chr8. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.



# Gene information (NCBI)

## Ces1f carboxylesterase 1F [Mus musculus (house mouse)]

Gene ID: 234564, updated on 31-Jan-2019

### Summary




<b>Official Symbol</b>	Ces1f provided by <a href="#">MGI</a>
<b>Official Full Name</b>	carboxylesterase 1F provided by <a href="#">MGI</a>
<b>Primary source</b>	<a href="#">MGI:MGI:2142687</a>
<b>See related</b>	<a href="#">Ensembl:ENSMUSG000000031725</a>
<b>Gene type</b>	protein coding
<b>RefSeq status</b>	VALIDATED
<b>Organism</b>	<a href="#">Mus musculus</a>
<b>Lineage</b>	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
<b>Also known as</b>	AU018778, CesML1, TGH-2
<b>Expression</b>	Biased expression in liver adult (RPKM 84.6), kidney adult (RPKM 21.8) and 7 other tissues <a href="#">See more</a>

# Transcript information (Ensembl)


The gene has 6 transcripts, all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
<b>Ces1f-201</b>	<a href="#">ENSMUST00000034178.8</a>	1926	<a href="#">561aa</a>	Protein coding	<a href="#">CCDS22530</a>	<a href="#">Q91WU0</a>	TSL:1 GENCODE basic APPRIS P1
<b>Ces1f-204</b>	<a href="#">ENSMUST00000140026.1</a>	383	<a href="#">50aa</a>	Nonsense mediated decay	-	<a href="#">Q91WU0</a>	TSL:5
<b>Ces1f-202</b>	<a href="#">ENSMUST00000124066.1</a>	578	No protein	Retained intron	-	-	TSL:3
<b>Ces1f-206</b>	<a href="#">ENSMUST00000156737.1</a>	569	No protein	Retained intron	-	-	TSL:2
<b>Ces1f-205</b>	<a href="#">ENSMUST00000151261.1</a>	562	No protein	Retained intron	-	-	TSL:3
<b>Ces1f-203</b>	<a href="#">ENSMUST00000133879.1</a>	439	No protein	Retained intron	-	-	TSL:2

The strategy is based on the design of *Ces1f-201* transcript, The transcription is shown below



# Genomic location distribution






# Protein domain



# Mouse phenotype description(MGI)



*Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).*

If you have any questions, you are welcome to inquire.

Tel: 400-9660890

