



中国认可
国际互认
检测
TESTING
CNAS L5399

检测报告

TEST REPORT

报告编号:

RB2742-267712

Report No.

签发日期:

2026-05-06

Date of Issue

送样单位:

北京药康生物科技有限公司
Beijing Yaokang Biotechnology Co., LTD

Submitted By

委托单位:

北京药康生物科技有限公司
Beijing Yaokang Biotechnology Co., LTD

Requested By

委托地址:

北京市大兴区北臧村明川大街 20 号
No. 20, Mingchuan Street, Beizang Village, Daxing District, Beijing

Address

苏州西山生物技术有限公司

SUZHOU XISHAN BIOTECHNOLOGY CO., LTD. (VRL CHINA)



防伪小程序



防伪报告

声 明

STATEMENT

1. 本检测全部在本公司实验室完成。
All the tests were performed in our laboratories.
2. 本报告仅对收到的样本负责，不能完全反映动物健康状况。
This report is only responsible for the samples received, and does not guarantee or imply the health status of the animals.
3. 本检测报告一式两份，未加盖本公司印章、无批准人签名、无防伪码无效。
Each testing report is in duplicate. It is invalid without an official stamp, authorized signatures and anti-counterfeiting code.
4. 本报告由 VRL 实验室系统形成，其真伪性可使用“西山云检”小程序扫码查询，或致电苏州西山生物技术有限公司（0512 6298 5955）查询。
This report is generated by the VRL laboratory system, and its authenticity can be verified by scanning the QR code using the "西山云检" WeChat mini program, or by calling VRL China. (0512 6298 5955).
5. 扫码即可查阅报告，本公司不会将报告以及防伪码发送给除委托方或委托方允许的第三方，若委托方将报告或防伪码转发给第三方，本公司不对其保密性负责。
Scan the QR code to access the report. Our Company shall not transmit the report or anti-counterfeiting code to any third parties other than the Client or those expressly authorized by the Client. Should the Client disclose the report or anti-counterfeiting code to any third parties, our Company hereby disclaims any responsibility for maintaining the confidentiality of such information.
6. 对此检测报告有任何争议，请在 30 天内与我们联系。
If you have any dispute to this testing report, please contact us within 30 days.
7. 未经本公司书面许可，委托方不得部分复制本报告、不得擅自使用此检测结果进行不当宣传。
Without our written permission, this report cannot be partly copied, and the test-requesting facilities should not use our testing results for improper propaganda.
8. 本检测报告中所涉及的样本名称、种属/品系、动物等级、样本号的信息均为委托方提供，本公司不负责调查确认这些信息的真实性。
The information of samples in this test report, including "Specimen Name", "Species/Strain", "Animal Grade" and "Specimen I.D.", was provided by the test-requesting facilities. Our company is not responsible for investigating or confirming the authenticity of these information."
9. 联络方式：苏州工业园区东长路 18 号中节能产业园 35 幢，邮编：215126。
18 Dongchang Road, Building 35, SIP, Suzhou city, China.
Tel: 0512-6298 5955.
10. 根据《检验检测机构资质认定管理办法》规则：报告中的数据结果供科研、教学、企业内部质量控制、企业产品研发等目的使用。
According to the "rules of Administrative Measure for the Qualification Accreditation of Inspection and Testing Institutions": The data results in this report are used for the purpose of scientific research, teaching, corporate internal quality control, enterprise product research and development, etc.

检测汇总

SUMMARY

样本类型: Specimen type	活体动物 Live Animal(s)	接样日期: Date Received	2026-04-23
动物信息: Animal Info	小鼠/SPF级 Mouse (Mus musculus)/SPF	检测日期: Date Tested	2026-04-23~2026-04-30
样本状态: Specimen Status	精神状态良好, 姿势和步态无明显异常, 被毛整齐且无外伤, 天然孔颜色正常且无异常分泌物, 解剖无明显异常 Good mental state; No obvious abnormality of posture and gait; Neat hair and no injury; Natural orifices with normal colour and without abnormal secretion; No obvious abnormality in anatomy.		

No.	检测项目 TEST ITEM		检测依据 TEST BASIS	检测数量 TESTED	结果 RESULTS			
					POS(+)	IND(±)	NEG(-)	PEN(?)
1	淋巴细胞脉络丛脑膜炎病毒抗体(LCMV Ab)	ELISA-IgG	GB/T 14926.18-2001	2	0	0	2	0
2	金黄色葡萄球菌(SAUR)	CM	GB/T 14926.14-2001	2	0	0	2	0
3	螺杆菌 DNA(HELI DNA)	PCR	T/CALAS 24-2017	2	0	0	2	0
4	*乳酸脱氢酶增高病毒抗体(LDV Ab)	ELISA-IgG	SOP 01-02-015D0	2	0	0	2	0
5	*小鼠巨细胞病毒抗体(MCMV Ab)	ELISA-IgG	SOP 01-02-015D0	2	0	0	2	0
6	*小鼠肾细小病毒DNA(MKPV DNA)	PCR	SOP 01-04-171B4	2	0	0	2	0
7	小鼠肝炎病毒抗体(MHV Ab)	ELISA-IgG	GB/T 14926.22-2026	2	0	0	2	0
8	仙台病毒抗体(SV Ab)	ELISA-IgG	GB/T 14926.23-2026	2	0	0	2	0
9	呼肠孤病毒III型抗体(Reo-3 Ab)	ELISA-IgG	GB/T 14926.25-2026	2	0	0	2	0
10	小鼠肺炎病毒抗体(PVM Ab)	ELISA-IgG	GB/T 14926.24-2026	2	0	0	2	0
11	小鼠细小病毒(MVM 株)抗体(MVM Ab)	ELISA-IgG	GB/T 14926.28-2026	2	0	0	2	0
12	沙门菌(SALM)	CM	GB/T 14926.1-2026	2	0	0	2	0
13	泰泽病原体抗体(CPIL Ab)	ELISA-IgG	GB/T 14926.10-2008	2	0	0	2	0
14	支原体抗体(MYCO Ab)	ELISA-IgG	GB/T 14926.8-2026	2	0	0	2	0
15	鼠棒状杆菌(CKUT)	CM	GB/T 14926.9-2001	2	0	0	2	0
16	嗜肺巴斯德杆菌(PPNE)	CM	GB/T 14926.12-2001	2	0	0	2	0
17	肺炎克雷伯杆菌(KPNE)	CM	GB/T 14926.13-2001	2	0	0	2	0
18	绿脓杆菌(PAER)	CM	GB/T 14926.17-2001	2	0	0	2	0

No.	检测项目 TEST ITEM		检测依据 TEST BASIS	检测数量 TESTED	结果 RESULTS			
					POS(+)	IND(±)	NEG(-)	PEN(?)
19	体外寄生虫(ECTO)	MT	GB/T 18448.1-2001	2	0	0	2	0
20	弓形虫抗体(TOXO Ab)	ELISA-IgG	GB/T 18448.2-2008	2	0	0	2	0
21	全部蠕虫(HELM)	MT	GB/T 18448.6-2001	2	0	0	2	0
22	鞭毛虫(FLAG)	MT	GB/T 18448.10-2001	2	0	0	2	0
23	纤毛虫(CILI)	MT	GB/T 18448.10-2001	2	0	0	2	0
24	牛棒状杆菌(CBOV)	CM	T/CALAS 20-2017	2	0	0	2	0
25	小鼠诺如病毒抗体(MNV Ab)	ELISA-IgG	T/CALAS 22-2017	2	0	0	2	0

签发人

Issued by: 王晨娟

日期

Date: 2026-05-06

检测结果

RESULTS

VRL 编号 Accession No	动物号 (样本号) ID	检测项目 Test Item/结果 Results					
		LCMV Ab	SAUR	HELI DNA	*LDV Ab	*MCMV Ab	*MKPV DNA
26079417	BJ01-XS-3#	—	—	—	—	—	—
26079418	BJ01-XS-4#	—	—	—	—	—	—

VRL 编号 Accession No	动物号 (样本号) ID	检测项目 Test Item/结果 Results					
		MHV Ab	SV Ab	Reo-3 Ab	PVM Ab	MVM Ab	SALM
26079417	BJ01-XS-3#	—	—	—	—	—	—
26079418	BJ01-XS-4#	—	—	—	—	—	—

VRL 编号 Accession No	动物号 (样本号) ID	检测项目 Test Item/结果 Results					
		CPIL Ab	MYCO Ab	CKUT	PPNE	KPNE	PAER
26079417	BJ01-XS-3#	—	—	—	—	—	—
26079418	BJ01-XS-4#	—	—	—	—	—	—

VRL 编号 Accession No	动物号 (样本号) ID	检测项目 Test Item/结果 Results					
		ECTO	TOXO Ab	HELM	FLAG	CILI	CBOV
26079417	BJ01-XS-3#	—	—	—	—	—	—
26079418	BJ01-XS-4#	—	—	—	—	—	—

VRL 编号 Accession No	动物号 (样本号) ID	检测项目 Test Item/结果 Results					
		MNV Ab					
26079417	BJ01-XS-3#	—					
26079418	BJ01-XS-4#	—					

备注: “*”表示此检测项目不在我司CNAS认可范围之内。

Note: “*” means that this test item is not within the scope of our CNAS approval.

名词释义 Glossary

缩写 Abbr.	中文名称 Chinese Name	英文名称 English Name
ELISA-IgG	酶联免疫吸附试验 (检测 IgG)	Enzyme-linked Immunosorbent Assay(IgG)
PCR	聚合酶链式反应	Polymerase Chain Reaction
MT	镜检法	Microscopy Test
CM	培养法	Culture Method

名词释义 Glossary

缩写 Abbr.	中文名称 Chinese Name	英文名称 English Name
POS	阳性	Positive
NEG	阴性	Negative
IND	可疑	Indeterminate
PEN	待定	Pending
+	阳性	Positive
-	阴性	Negative
±	可疑	Indeterminate
?	待定	Pending
N/A	未提供	Not Available

**** 报告结束 END OF REPORT ****